



{KODE{KLOUD

# Course Objectives

## Scheduling



Manual Scheduling



Labels & Selectors



Resource Limits



daemon Sets



Multiple Schedulers



Scheduler Events



Configure Kubernetes Scheduler

## Logging Monitoring

## Application Lifecycle Management

## Cluster Maintenance

## Security


## Storage

## Troubleshooting




# MANUAL SCHEDULING

# How scheduling works



What to Schedule?



Which node to schedule?

(Schedule)Bind Pod to Node

nodeName: node02

pod-definition.yaml

```
apiVersion: v1
kind: Pod
metadata:
  name: nginx
  labels:
    name: nginx
spec:
  containers:
  - name: nginx
    image: nginx
    ports:
      - containerPort: 8080
  nodeName: node02
```

# No Scheduler!

```
▶ kubectl get pods
```

NAME	READY	STATUS	RESTARTS	AGE
nginx	0/1	Pending	0	3s

```
▶ kubectl get pods
```

NAME	READY	STATUS	RESTARTS	AGE	IP	NODE
nginx	1/1	Running	0	9s	10.40.0.4	node02

```
pod-definition.yaml
```

```
apiVersion: v1
kind: Pod
metadata:
  name: nginx
  labels:
    name: nginx
spec:
  containers:
  - name: nginx
    image: nginx
    ports:
    - containerPort: 8080
  nodeName: node02
```

# No Scheduler!

## Pod-bind-definition.yaml

```
apiVersion: v1
kind: Binding
metadata:
  name: nginx
target:
  apiVersion: v1
  kind: Node
  name: '{"apiVersion":"v1", "kind": "Binding" ... }
```

## pod-definition.yaml

```
apiVersion: v1
kind: Pod
metadata:
  name: nginx
  labels:
    name: nginx
spec:
  containers:
  - name: nginx
    image: nginx
    ports:
    - containerPort: 8080
  nodeName: node02
```

```
▶ curl --header "Content-Type:application/json" --request POST --data
http://$SERVER/api/v1/namespaces/default/pods/$PODNAME/binding/
```



{KODE{KLOUD

# Course Objectives

## Scheduling

- Manual Scheduling
- Labels & Selectors
- Resource Limits
- Daemon Sets
- Multiple Schedulers
- Scheduler Events
- Configure Kubernetes Scheduler

## Logging Monitoring

## Application Lifecycle Management

## Cluster Maintenance

## Security

## Storage

## Troubleshooting







# Daemon Sets




# Daemon Sets




# Daemon Sets - UseCase



# Daemon Sets - UseCase - kube-proxy



# Daemon Sets - UseCase - Networking



# DaemonSet Definition

## daemon-set-definition.yaml

```
apiVersion: apps/v1
kind: DaemonSet
metadata:
  name: monitoring-daemon
spec:
  selector:
    matchLabels:
      app: monitoring-agent
  template:
    metadata:
      labels:
        app: monitoring-agent
    spec:
      containers:
        - name: monitoring-agent
          image: monitoring-agent
```

## replicaset-definition.yaml

```
apiVersion: apps/v1
kind: ReplicaSet
metadata:
  name: monitoring-daemon
spec:
  selector:
    matchLabels:
      app: monitoring-agent
  template:
    metadata:
      labels:
        app: monitoring-agent
    spec:
      containers:
        - name: monitoring-agent
          image: monitoring-agent
```

```
▶ kubectl create -f daemon-set-definition.yaml
```

```
daemon-set Created
```

# View DaemonSets


```
▶ kubectl get daemonsets
```

NAME	DESIRED	CURRENT	READY	UP-TO-DATE	AVAILABLE	AGE
monitoring-daemon	1	1	1	1	1	41

```
▶ kubectl describe daemonsets monitoring-daemon
```

```
Name:          monitoring-daemon
Selector:      name=monitoring-daemon
Node-Selector: <none>
Labels:       name=monitoring-daemon
Desired Number of Nodes Scheduled: 2
Current Number of Nodes Scheduled: 2
Number of Nodes Scheduled with Up-to-date Pods: 2
Number of Nodes Scheduled with Available Pods: 1
Number of Nodes Misscheduled: 0
Pods Status:  2 Running / 0 Waiting / 0 Succeeded / 0 Failed
Pod Template:
  Labels:      app=monitoring-agent
  Containers:
```

# How does it work?



 Default Behavior till v1.12

From v1.12 - uses NodeAffinity and default scheduler





{KODE{KLOUD

# Course Objectives

## Scheduling

- Manual Scheduling
- Labels & Selectors
- Resource Limits
- daemon Sets
- Multiple Schedulers
- Scheduler Events
- Configure Kubernetes Scheduler

## Logging Monitoring

## Application Lifecycle Management


## Cluster Maintenance


## Security

## Storage

## Troubleshooting

# MULTIPLE SCHEDULERS



 **Master**  
Manage, Plan, Schedule, Monitor  
Nodes

 **Worker Nodes**  
Host Application as Containers

 **Scheduler-3**

 **Scheduler-2**

 **Kube-Scheduler**



# Deploy Additional Scheduler

```
wget https://storage.googleapis.com/kubernetes-release/release/v1.12.0/bin/linux/amd64/kube-scheduler
```

kube-scheduler.service

```
ExecStart=/usr/local/bin/kube-scheduler \  
  --config=/etc/kubernetes/config/kube-scheduler.yaml \  
  --scheduler-name= default-scheduler
```

my-custom-scheduler.service

```
ExecStart=/usr/local/bin/kube-scheduler \  
  --config=/etc/kubernetes/config/kube-scheduler.yaml \  
  --scheduler-name= my-custom-scheduler
```

# Deploy Additional Scheduler - kubeadm

```
/etc/kubernetes/manifests/kube-scheduler.yaml
```

```
apiVersion: v1
kind: Pod
metadata:
  name: kube-scheduler
  namespace: kube-system
spec:
  containers:
  - command:
    - kube-scheduler
    - --address=127.0.0.1
    - --kubeconfig=/etc/kubernetes/scheduler.conf
    - --leader-elect=true
    image: k8s.gcr.io/kube-scheduler-amd64:v1.11.3
    name: kube-scheduler
```

```
my-custom-scheduler.yaml
```

```
apiVersion: v1
kind: Pod
metadata:
  name: my-custom-scheduler
  namespace: kube-system
spec:
  containers:
  - command:
    - kube-scheduler
    - --address=127.0.0.1
    - --kubeconfig=/etc/kubernetes/scheduler.conf
    - --leader-elect=true
    image: k8s.gcr.io/kube-scheduler-amd64:v1.11.3
    name: my-custom-scheduler
```

# View Schedulers

```
kubectl get pods --namespace=kube-system
```

NAME	READY	STATUS	RESTARTS	AGE
coredns-78fcdf6894-bk4m1	1/1	Running	0	1h
coredns-78fcdf6894-ppr6m	1/1	Running	0	1h
etcd-master	1/1	Running	0	1h
kube-apiserver-master	1/1	Running	0	1h
kube-controller-manager-master	1/1	Running	0	1h
kube-proxy-dbgbv	1/1	Running	0	1h
kube-proxy-fptbr	1/1	Running	0	1h
kube-scheduler-master	1/1	Running	0	1h
my-custom-scheduler	1/1	Running	0	9s
weave-net-4tftp	2/2	Running	1	1h
weave-net-6j6zs	2/2	Running	1	1h

# Use Custom Scheduler

```
kubectl get pods --namespace=kube-system
```

NAME	READY	STATUS	RESTARTS	AGE
coredns-78fcd6894-bk4m1	1/1	Running	0	1h
coredns-78fcd6894-ppr6m	1/1	Running	0	1h
etcd-master	1/1	Running	0	1h
kube-apiserver-master	1/1	Running	0	1h
kube-controller-manager-master	1/1	Running	0	1h
kube-proxy-dgbgv	1/1	Running	0	1h
kube-proxy-fptbr	1/1	Running	0	1h
kube-scheduler-master	1/1	Running	0	1h
my-custom-scheduler	1/1	Running	0	9s
weave-net-4tfpt	2/2	Running	1	1h
weave-net-6j6zs	2/2	Running	1	1h

```
pod-definition.yaml
```

```
apiVersion: v1
kind: Pod
metadata:
  name: nginx
spec:
  containers:
  - image: nginx
    name: nginx
  schedulerName:
```

```
kubectl create -f pod-definition.yaml
```

```
kubectl get pods
```

NAME	READY	STATUS	RESTARTS	AGE
nginx	0/1	Pending	0	6s

```
kubectl get pods
```

NAME	READY	STATUS	RESTARTS	AGE
nginx	1/1	Running	0	6s





# View Events

```
kubectl get events
```

LAST SEEN	COUNT	NAME	KIND	TYPE	REASON	SOURCE	MESSAGE
9s	1	nginx.15	Pod	Normal	Scheduled	my-custom-scheduler	Successfully assigned default/nginx to node01
8s	1	nginx.15	Pod	Normal	Pulling	kubelet, node01	pulling image "nginx"
2s	1	nginx.15	Pod	Normal	Pulled	kubelet, node01	Successfully pulled image "nginx"
2s	1	nginx.15	Pod	Normal	Created	kubelet, node01	Created container
2s	1	nginx.15	Pod	Normal	Started	kubelet, node01	Started container

# View Scheduler Logs

```
kubectl logs my-custom-scheduler --name-space=kube-system
```

```
I0204 09:42:25.819338    1 server.go:126] Version: v1.11.3
W0204 09:42:25.822720    1 authorization.go:47] Authorization is disabled
W0204 09:42:25.822745    1 authentication.go:55] Authentication is disabled
I0204 09:42:25.822801    1 insecure_serving.go:47] Serving healthz insecurely on 127.0.0.1:10251
I0204 09:45:14.725407    1 controller_utils.go:1025] Waiting for caches to sync for scheduler controller
I0204 09:45:14.825634    1 controller_utils.go:1032] Caches are synced for scheduler controller
I0204 09:45:14.825814    1 leaderelection.go:185] attempting to acquire leader lease  kube-system/my-custom-scheduler...
I0204 09:45:14.834953    1 leaderelection.go:194] successfully acquired lease kube-system/my-custom-scheduler
```



{KODE}{KLOUD

# Course Objectives

## Scheduling

Labels & Selectors

Resource Limits

Manual Scheduling

daemon Sets

Multiple Schedulers

Scheduler Events

Configure Kubernetes Scheduler

## Logging Monitoring

## Application Lifecycle Management

## Cluster Maintenance

## Security

## Storage

## Troubleshooting

# CONFIGURING SCHEDULER

# Deploy Additional Scheduler

```
wget https://storage.googleapis.com/kubernetes-release/release/v1.12.0/bin/linux/amd64/kube-scheduler
```

kube-scheduler.service

```
ExecStart=/usr/local/bin/kube-scheduler \  
  --config=/etc/kubernetes/config/kube-scheduler.yaml \  
  --scheduler-name= default-scheduler
```

my-custom-scheduler.service

```
ExecStart=/usr/local/bin/kube-scheduler \  
  --config=/etc/kubernetes/config/kube-scheduler.yaml \  
  --scheduler-name= my-custom-scheduler
```

# Deploy Additional Scheduler - kubeadm

/etc/kubernetes/manifests/kube-scheduler.yaml

```
apiVersion: v1
kind: Pod
metadata:
  name: kube-scheduler
  namespace: kube-system
spec:
  containers:
  - command:
    - kube-scheduler
    - --address=127.0.0.1
    - --kubeconfig=/etc/kubernetes/scheduler.conf
    - --leader-elect=true
    image: k8s.gcr.io/kube-scheduler-amd64:v1.11.3
    name: kube-scheduler
```

my-custom-scheduler.yaml

```
apiVersion: v1
kind: Pod
metadata:
  name: my-custom-scheduler
  namespace: kube-system
spec:
  containers:
  - command:
    - kube-scheduler
    - --address=127.0.0.1
    - --kubeconfig=/etc/kubernetes/scheduler.conf
    - --leader-elect=true
    image: k8s.gcr.io/kube-scheduler-amd64:v1.11.3
    name: my-custom-scheduler
```



{KODE{KLOUD



# Course Objectives

Scheduling

Logging Monitoring

Application Lifecycle Management

Cluster Maintenance

Security

Authentication & Authorization

Kubernetes Security

Network Policies

Storage

Troubleshooting

Secrets

○ TLS Certificates for Cluster Components

○ Images Securely

○ Security Contexts

○ Secure Persistent Key Value Store

# AUTHENTICATION